

sigma



Σ101



Σ103



Σ105



Σ106



Σ107



Σ108



Σ109



Σ121



Σ122



Σ123



Σ124



Σ125



Σ126



Σ131



Σ132



Σ133



Σ134



Σ135



Σ136



Σ137



Σ138



Σ139



Σ140



Σ151



Σ152



Σ153



Σ154



Σ155



Σ156



Σ157

All stainless steel line

FSB Solid Bronze



1015



1023



1045



1106



1163



1164



0802



0829



2346



2309



3423



3424



3433



3736



1735



3884




7201

FSB Flush Rose


Less is more: the current architectural tendency to pare down visible materials and structures and to formally integrate technically functional elements is, for instance, manifesting itself in the form of non-rebated doors for main entrances. FSB has developed a hardware solution to suit this design trend: the flush rose. The hardware is fitted with FSB's proven AGL compensating bearing and can also be supplied as fire safety furniture.



UNIKMATIC



THE UNIKMATIC SLIDING DOOR SYSTEM IS DESIGNED TO FIT PERFECTLY WITH A ROOM'S ATMOSPHERE. EXTREMELY POPULAR FOR ITS DESIGN, INNOVATION AND EASE OF INSTALLATION, THE SYSTEM REQUIRES NO GLASS DRILLING AND FEATURES SYNCHRONOUS DOOR OPENING. AN ATTRACTIVE, REMOVABLE PELMET CONCEALS THE MECHANISMS, WHILE THE ALUMINIUM TRACK CAN SUPPORT PANES UP TO 90KG (198 LBS) EACH. AVAILABLE IN SILVER ANODIZED FINISH, IT IS THE MOST COMPACT TRACK IN OUR RANGE. ADJUSTABLE DOOR STOPS CUSHION THE DOOR AND PREVENT IT FROM HITTING THE FRAME.



7544 Côte de Liesse
St-Laurent, QC
H4T 1E7
Canada



T 514.335.8281
877.339.8281
F 514.667.5633
866.667.5633
www.ahi-arch.com